

**STAND
BEHIND
YOUR
WORK™**



2023 WOODWORKING END USER FLYER

1840EVS WOODWORKING LATHE

- Sliding headstock includes newly designed locking handle accessible from the front of the lathe
- Extended spindle nose houses dual headstock spindle bearings
- Four-inch cast iron risers allow user to adjust height of lathe for maximum comfort
- Improved tailstock quill locking mechanism incorporates an anti-rotation key
- Tailstock features ACME threads for smooth and durable movement
- Banjo uses non-marring, positive locking wedge system to securely hold tool post
- Tool post locking mechanism designed for years of consistent strength
- Remote emergency stop button can be situated along the lathe bed
- Spindle lock latch frees up both hands
- Variable speed from 40–3200 RPM
- 36 integrated indexing positions
- Convenient leg-mounted tool holder



719600

STOCK NO.	DESCRIPTION
719600	JWL-1840EVS 18" x 40" Electronic Variable Speed Wood Lathe, 2HP 1PH 230V

1640EVS WOODWORKING LATHE

- Sliding headstock includes newly designed locking handle accessible from the front of the lathe
- Extended spindle nose houses dual headstock spindle bearings
- Improved tailstock quill locking mechanism incorporates an anti-rotation key
- Tailstock features ACME threads for smooth and durable movement
- Banjo uses non-marring, positive locking wedge system to securely hold tool post
- Tool post locking mechanism designed for years of consistent strength
- Spindle lock latch frees up both hands
- Electronic infinitely variable speed from 40–3200 RPM
- 36 integrated indexing positions
- Convenient leg-mounted tool holder
- Inverter is enclosed for added protection
- Conveniently located digital readout
- Rubber tool mat on top of headstock



719500

STOCK NO.	DESCRIPTION
719500	JWL-1640EVS 16" x 40" Electronic Variable Speed Wood Lathe, 1.5HP 1PH 115V

RESPONSE TO CURRENT MARKET CONDITIONS:

We are in uncharted times with cost increases and demand for goods, coupled with the restricted supply chain over the last fifteen months. Massive logistical delays, currency devaluations, trade wars impacting the cost and availability of raw materials, factories at max capacity and labor shortages stemming from COVID still exist around the world.

In an effort to keep our 6 month end user flyer relevant with the changing cost of goods, there's no pricing attached to products in this end user flyer. Please contact your preferred distributor for pricing.

JPW INDUSTRIES IS COMMITTED TO PROVIDING THE BEST PRODUCTS AND OUTSTANDING CUSTOMER SERVICE. THANK YOU FOR YOUR BUSINESS AND CONTINUED SUPPORT.

1440VS WOODWORKING LATHE

- Sliding headstock for maximum versatility and optimal user comfort
- Variable speed from 400–3000 RPM
- Positive locking tool rest with redesigned clamping
- Extension bed takes the capacity to 60" between centers
- ACME thread in tailstock
- Improved tailstock quill locking with anti-rotation key
- Easy-to-read RPM display

STOCK NO.	DESCRIPTION
719400K	JWL-1440VSK 14" x 40" Variable Speed Wood Lathe with Legs, 1HP 1PH 115/230V
719400	WL-1440VS 14" x 40" Benchtop Variable Speed Wood Lathe, 1HP 1PH 115/230V

ACCESSORIES

STOCK NO.	DESCRIPTION
708331	BBC-2 LIVE CENTER MT-2
719001	Tailstock Swing Away for JWL-1440VSK, JWL-1640EVS, JWL-1840EVS
719002	Lathe Guard for JET 1640EVS Lathe
719401	JWL-1440VS, JWL-1640, JWL-1840 Bed Extension
719402	JWL-1440VS Leg Set
719601	JWL-1840CB Comparator Bracket




719400K




719400

WOODWORKING LATHE ACCESSORIES



LATHE GUARD

- Mounts on bracket to headstock
- Easily flips away when not in use



TAILSTOCK SWING AWAY

- Heavy-duty tailstock quickly swings out of the way
- Securely locks to the lathe bed with a few turns of the handle
- Fits JET 14" and larger lathes



20" EXTENSION BED WITH POST

- Extends turning capacity up to 60"
- Tool rest post included

1015VS AND 1221VS WOODWORKING LATHES

1015VS FEATURES

- 15-1/2" between centers
- Integrated 24-position indexing
- Six spindle speeds: 500, 840, 1240, 1800, 2630 and 3975 RPM
- Variable RPM range of 200–3600

1221VS FEATURES

- Unrivaled speed control
- 60–3600 RPM variable speed
- Optimally designed speed ranges
- Forward to reverse is a smooth transition



STOCK NO.	DESCRIPTION
719110	JWL-1015VS 10" x 15" Variable Speed Wood Lathe, 0.5HP 115V
719200	JWL-1221VS 12" x 21" Variable Speed Wood Lathe, 1HP, 115V

WOODWORKING LATHE ACCESSORIES



CHUCK SET 719900

To compliment our extensive line of woodturning lathes, JET is introducing a nickel plated chuck with five unique sets of jaws, to keep projects securely on your lathe.



WOODTURNING CHISEL SET 719901

- Custom JET wooden case
- 11" Anodized Aluminum Handle with Extension Handle
- Four Stainless Steel shafts with Four Interchangeable Carbide cutting blades: Square (11mm), Square Arc (11mm), Round (12mm) and Diamond (28mm)
- Star Key and Hex Wrench



WOODTURNING HOLLOWING CHISEL SET 719902

- Custom JET wooden case
- 11" Anodized Aluminum Handle and Extension Handle
- Three styles of hollowing shafts with 8.9mm round carbide cutter blades
- Star Key and Hex Wrench

STOCK NO.	DESCRIPTION
719201	JWL-1221VS Bed Extension
719202A	JWL-1221VS Stand
719203A	JWL-1221VS Stand Extension
719101	JWL-1015 Bed Extension
719103A	JWL-1015 Stand Extension
719102A	JWL-1015 Stand
719900	NEW JET Lathe Chuck 1X8tpi
719901	NEW JET Wood Turning Carbide Chisels 6Pc Set

STOCK NO.	DESCRIPTION
719902	NEW JET Wt Carbide Hollowing Chisels 5Pc Set
719903	NEW JET Lathe Chuck Adaptor 1 to 1 1/4
719951	NEW 11mm SQ Carbide Insert 2Pc
719952	NEW 11mm SQ Arc Carbide Insert 2Pc
719953	NEW 12mm Round Carbide Insert 2Pc
719954	NEW 28mm Diamond Carbide Insert 2Pc
719955	NEW 8.9m Round Carbide Insert 2Pc

NEW

10" VARIABLE SPEED WET SHARPENER WITH ACCESSORIES

- Enclosed motor housing keeps debris and water from entering the machine
- Variable speed (90-150 RPM) allows for precise applications
- Built-in drawer offers convenient jig storage
- Water cooled stone grinding wheel prevents tools from overheating
- Leather strop removes burrs and leaves tools refined to a polished razor edge
- Aluminum oxide grinding wheel is 10 inches in diameter and a 2 inch surface for increased capacity
- Deep well trough reduces splash while keeping the stone cool
- Perfect for wood turning chisels, knives and hand carving tools
- Compliment to our market leading JET Lathes

ACCESSORIES INCLUDED: A 220 grit 10 inch aluminum oxide grinding wheel, leather strop wheel, support arm, stone grader, straight edge jig, leather honing compound, angle measuring device and chisel angle jig



727100

STOCK NO.	DESCRIPTION
727100	10" Variable Speed Wet Sharpener w/ Accessories

ACCESSORIES

STOCK NO.	DESCRIPTION
727001	Rotating Base
727200	Wood Turning Jig Set (3pc.)
727300	Blade Jig Set (3 pc.)
727003	Diamond Truing Tool
727006	Long Knife Jig
727007	Wet Sharpener Maintenance Kit
727008	Leather Strop Honing Compound
727012	Side Wheel Grinding Jig
727013	Profiled Leather Honing Wheel
727014	Straight Edge Jig
727016	Plane Chamber Jig
727017	Angle Measuring Device
727018	Tool Rest
727019	Support Arm
727020	Support Arm Extension
727022	Grinding Wheel
727023	Leather Strop Wheel

FOR MORE JIGS AND ACCESSORIES VISIT JETTOOLS.COM FOR A DEALER NEAR YOU



727001

ROTATING BASE

This rotating and locking base allows you to move the wet sharpener without lifting or repositioning your body.



727200

WOOD TURNING JIG SET (3PC.)

Includes Gauge Jig, Carving Tool Jig, and Tool Angle Jig



727300

BLADE JIG SET (3 PC.)

Includes Knife Jig, Scissor Jig, and Axe Jig



727003

DIAMOND TRUING TOOL

Mounts to the support arm and is used to true the stone before and after use.

8" WOODWORKING BENCH GRINDER

- 1725 RPM, optimal for sharpening common tool steels
- Fits two 8" grinding wheels (not included)
- Oversized tool rests with integrated angle indicator
- Machined tool rest surface with reference lines
- Durable cast iron wheel covers
- Built-in spark arrestors



726101

STOCK NO.	DESCRIPTION
726101	8" WW Bench Grinder

BENCHTOP MORTISER

- Heavy-duty cast iron and steel construction provides durability and stability during use
- Dependable rack-and-pinion head adjustment gives you accurate position control
- Long, multi-position mortising handle lets you reposition the feed handle for easier operation and optimum handle position
- Three-jaw drill chuck keeps a positive grip on mortising bits with up to 3/8" diameter shanks



708580

STOCK NO.	DESCRIPTION
708580	JBM-5, Benchtop Mortiser, 1/2HP 1PH 115V

ACCESSORIES

STOCK NO.	DESCRIPTION
1791091	Premium Mortise Chisel & Bit 1/4"
1791092	Premium Mortise Chisel & Bit 5/16"
1791093	Premium Mortise Chisel & Bit 3/8"
1791094	Premium Mortise Chisel & Bit 1/2"
1791095	Premium Mortise Chisel & Bit 3/4"
1791096	Premium Mortise Chisel & Bits, Set of 4

NEW



728100



728200

UNIVERSAL BENCHTOP MACHINE STAND

- Fits more than 17 JET Benchtop machines
- 20" x 29" Table surface
- Adjustable height from 30" to 35"
- Heavy Duty Steel frame construction
- Includes leveling glides

FLIP TOP BENCHTOP MACHINE STAND

- The Flip Top Stand can support up to two machines securely fastened to each surface
- Two front locking knobs enable the Top to flip 180 degrees, allowing use of machines in the same compact footprint
- Flips over a dozen JET Benchtop machines
- Table surface is 20" x 25"
- Adjustable height from 30" to 35"

STOCK NO.	DESCRIPTION
728100	JET Universal Benchtop Machine Stand
98-0129	2" Swivel Lock Casters

STOCK NO.	DESCRIPTION
728200	JET Flip Top Benchtop Machine Stand
98-0129	2" Swivel Lock Casters

STOCK NO.	DESCRIPTION	FITS UNIVERSAL STAND	FITS FLIP TOP STAND
722130	JWP-13BT 13" Planer	Y	Y
707400	JJP-8BT 8" Jointer / Planer	Y	Y
726101	JWBG-8NW 8" Bench Grinder	Y	Y
723510	JWDS-1020 Drum Sander	Y	Y
708595	JSG-96 Combination 6" Belt and 9" Disc Sander	Y	Y
708404	JBOS-5 Oscillating Spindle Sander	Y	Y
727300B	JWSS-18B 18" Scroll Saw	Y	Y
727200B	JWSS-22B 22" Scroll Saw	Y	Y
707210	JMS-10X 10" Dual Bevel Miter Saw	Y	Y
707212	JMS-12X 12" Dual Bevel Miter Saw	Y	Y
708580	JBM-5 Mortiser	Y	Y
718600	JJ-6HHBT 6" Jointer	Y	Y
727100	JWS-10 10" Variable Speed Wet Sharpener	Y	Y
708599	JSG-6DC Combination 6" Belt and 12" Disc Sander	Y	N
714000	JWB-10 10" Bandsaw	Y	N
716000	JWDP-12 12" Drill Press	Y	N
716200	JDP-15B 15" Drill Press	Y	N



THE FLIP TOP STAND CAN SUPPORT UP TO TWO MACHINES SECURELY FASTENED TO EACH SURFACE

DRILLS

17" DRILL PRESS

- Spindle travels a full 5" with one revolution of the handle
- Large 14" x 19" precision-ground work table features twin T-slot grooves and 4 table slots to accommodate any project
- One-handed belt tensioning allows for rapid speed changes
- Power switch features a safety key and large, paddle-style off button
- Integrated depth stop makes repetitive drilling quick and easy
- XACTA®-X™ Precision Laser System easily identifies the drill center
- Long-lasting, built-in LED work light reduces shadows
- Table edge lip designed to make clamping easy
- Replaceable MDF table insert
- Large cast iron base provides stability
- Powered by an efficient 3/4HP, 1PH, 115V TEFC motor and poly-v belt drive system



716300

16-1/2" DRILL PRESS

- 16 speeds lets you choose the best speed for the job
- Quick release, crank-operated worktable height adjustment rotates + or - 45° for versatility
- Hinged metal belt and pulley cover provides easy access to the quick adjustment motor mount to allow rapid spindle speed changes
- "X" pattern mounting grooves in table allow mounting a fence when table is in reverse position
- Depth stop displays inch/mm and has a quick set bolt for fast, accurate adjustments
- Spindle has high-quality ball bearing construction for long life
- Adjustable tension spindle return spring is ideal for repetitive drilling of the same depth
- Built-in worklight (bulb not included) provides additional visibility of your work



354169

STOCK NO.	DESCRIPTION
716300	JDP-17, 17" Floorstanding Drill Press, 3/4HP 1PH 115V

STOCK NO.	DESCRIPTION
354169	JDP-17MF, 16-1/2" Floorstanding Drill Press, 3/4HP 1PH 115/230V

15" DRILL PRESSES

- Spindle travels a full 3-1/8" with one revolution of the handle
- Large 12-1/2" x 17" precision-ground work table features twin T-slot grooves and 4 table slots to accommodate any project
- One-handed belt tensioning allows for rapid speed changes
- Power switch features a safety key and large, paddle-style off button
- Integrated depth stop makes repetitive drilling quick and easy
- XACTA®-X™ Precision Laser System easily identifies the drill center
- Long-lasting, built-in LED work light reduces shadows
- Table edge lip designed to make clamping easy
- Replaceable MDF table insert
- Large cast iron base provides stability
- Powered by an efficient 3/4HP, 1PH, 115V TEFC motor and poly-v belt drive system

STOCK NO.	DESCRIPTION
716200	JDP-15B, 15" Benchtop Drill Press, 3/4HP 1PH 115V
716250	JDP-15F, 15" Floorstanding Drill Press, 3/4HP 1PH 115V



716200



716250

12" BENCHTOP VARIABLE SPEED DRILL PRESS

- Compact benchtop design allows for easy transport to different shop locations
- Heavy-duty 1/2HP induction motor for various drilling applications
- Mechanical variable speed drive system for easy speed changes
- XACTA®-X™ Precision Laser System ensures drilling accuracy
- Digital readout displays spindle speed for different drilling applications
- Stable base design allows for easy re-positioning on workbench

STOCK NO.	DESCRIPTION
716000	JWDP-12, 12" Drill Press with DRO, 1/2HP 1PH 115V



716000

SANDERS

2244 OSCILLATING DRUM SANDER

- Exclusive variable speed oscillating drum moves from left to right—minimizing visual scratch patterns in workpieces and increasing the lifespan of abrasive paper
- Sandsmart™ control continuously monitors the load on the drum motor and automatically regulates the speed of the conveyor motor to maintain the highest feed rate without overload
- Dust hood includes a patented integrated channel that mirrors the shape of the drum and directs chips and dust to the 4" collection port
- Conveyor bed parallelism is easily adjusted by turning the dial on the outside of the bed - no tools required
- Redesigned conveyor system pulls the work piece through the sander instead of pushing



STOCK NO.	DESCRIPTION
723544OSCK	2244 OSC Oscillating Drum Sander, 1.75HP 1PH 115V

ACCESSORIES

STOCK NO.	DESCRIPTION
723551	Folding In/Outfeed Tables for JWDS-2244OSC
723553	Depth Stop Assembly for JWDS-2244 & JWDS-2550

723544OSCK

2550 DRUM SANDER

- Sandsmart™ control continuously monitors the load on the drum motor and automatically regulates the speed of the conveyor motor to maintain the highest feed rate without overload
- Conveyor bed parallelism is easily adjusted by turning the dial on the outside of the bed - no tools required
- Parallelism adjust dial features a stop to quickly return the conveyor bed to a flat position
- Dust hood includes a patented integrated channel that mirrors the shape of the drum and directs dust to the 4" collection port
- Precision-machined and dynamically balanced extruded aluminum drum is designed to dissipate heat to extend the life of the sandpaper as well as protect the work surface from heat damage
- Die cast drum carriage design is optimized for rigidity to provide years of consistent quality



723544CSK

STOCK NO.	DESCRIPTION
723550OSK	JWDS-2550 Drum Sander 1-3/4 HP, 1Ph, 115V w/ Open Stand
723544CSK	JWDS-2550 Drum Sander 1-3/4HP, 1Ph, 115V w/ Closed Stand

ACCESSORIES

STOCK NO.	DESCRIPTION
723551	Folding Infeed/Outfeed Tables for JWDS-2550



SANDSMART™ INFINITELY VARIABLE-FEED CONTROL PRODUCES THE ULTIMATE FINISH AT A RATE OF UP TO 10 FEET PER MINUTE AND PREVENTS MACHINE OVERLOAD

DRUM SANDERS

- Sandsmart™ control continuously monitors the load on the drum motor and automatically regulates the speed of the conveyor motor to maintain the highest feed rate without overload
- Conveyor bed parallelism is easily adjusted by turning the dial on the outside of the bed - no tools required
- Parallelism adjust dial features a stop to quickly return the conveyor bed to a flat position
- Dust hood includes a patented integrated channel that mirrors the shape of the drum and directs chips and dust to the 4" collection port
- Precision-machined and dynamically balanced extruded aluminum drum is designed to dissipate heat and protect the work surface from heat-damage
- Precision-flattened reinforced steel conveyor bed
- Redesigned conveyor system pulls the workpiece through the sander instead of pushing

STOCK NO.	DESCRIPTION
723520K	JWDS-1632 Drum Sander, 1.5HP 1PH 115V, Open Stand
723530K	JWDS-1836 Drum Sander, 1.75HP 1PH 115V, Open Stand
7235400SK	JWDS-2244 Drum Sander w/Open Stand

ACCESSORIES

STOCK NO.	DESCRIPTION
723521	Infeed/Outfeed Tables for JWDS-1632
723541	Folding In/Outfeed Tables for JWDS-2244
723552	Drum Sander DRO for JWDS-2244
723553	Drum Sander Depth Stop Assembly for JWDS-2244 & JWDS-2550



1020 BENCHTOP DRUM SANDER

- Heavy-duty die-cast aluminum and steel body provides rigidity for consistent quality
- Patented dust hood incorporates an integrated channel that directs dust to a 4" collection port.
- Parallelism adjust dial features a stop to quickly return the conveyor bed to a flat position
- Infinitely variable-speed control allows the user to choose the optimal feed rate
- Open ended design allows for up to 20" of sanding capacity with 2 passes
- Extruded aluminum drum is designed to dissipate heat and protect wood from heat-damage
- Redesigned conveyor system pulls the workpiece through the sander instead of pushing
- Conveyor belt TRACKERS™ reduce the need for manual belt adjustments

STOCK NO.	DESCRIPTION
723510	JWDS-1020 Benchtop Drum Sander



723510

BENCHTOP OSCILLATING SPINDLE SANDER

- 1" oscillating action reduces friction heat to protect wood and prolong sleeve life
- Main spindle support runs on precision ball bearings and is oscillated by a heavy-duty worm and gear mechanism for consistent performance
- Oscillation gears run in a sealed lubricated box to prolong their life and durability
- Table tilts to 45° to accommodate bevel sanding projects
- Removable on/off safety switch prevents accidental start-up
- Powerful 1/2 HP induction motor easily handles the toughest sanding projects
- Built-in 2" dust port keeps dust and debris out of the air
- Spindles have threaded ends for quick, easy changes

STOCK NO.	DESCRIPTION
708404	JBOS-5, Benchtop Oscillating Spindle Sander, 1/2HP, 1Ph 115V



708404

OSCILLATING SPINDLE SANDER

- Baffles create a chamber under the table for improved dust collection
- 4" dust port connects to your dust collection system to keep your work area clean
- Spindle lock for quick and easy spindle changes
- Table tilts 45° front and 15° back and features a 90° quick index
- Integrated storage provides designated slots for spindles and table inserts
- Sealed access door minimizes dust in the storage area
- 1-1/2" oscillating action reduces friction heat to protect wood and prolong sleeve life
- Main spindle support runs on precision ball bearings and is oscillated by a heavy-duty worm and gear mechanism for consistent performance
- Integrated paddle switch with safety key
- Powerful 1HP motor is independently mounted inside the base for easy access and service

STOCK NO.	DESCRIPTION
723950	JOSS-S, Floor Model Oscillating Spindle Sander, 1HP, 1Ph, 115V



723950



SPINDLE

- Spindle lock
- Only one wrench needed for changes
- Includes 1/4", 3/8", 1/2", 5/8", 3/4", 1", 1-1/2", 2", 3", and 4" spindle assemblies



TABLE

- 45° front, 15° back
- 90° quick index
- Increased spindle access



INTEGRATED STORAGE

- Designated slots for each spindle and insert
- Magnetic strip for wrenches
- Sealed access door

OSCILLATING EDGE SANDER

- Oscillating feature reduces heat build-up on sanding belt to reduce loading and burning, which increases belt life
- Quick release lever and tracking control dial are conveniently located for replacing and tracking belts
- Belt platen is made from precision-ground steel plate for strength and durability
- Graphite-covered steel platen runs cooler, increasing machine and belt life
- Cast iron table moves up or down to provide exact workpiece positioning
- 4" dust port hooks up to your dust collection system for efficient dust removal
- Adjustable outer drum support table enables contour sanding
- Tilting sanding head for sanding bevels, angles and flat surfaces

STOCK NO.	DESCRIPTION
708447	OES-80CS, Oscillating Edge Sander, 1.5HP 1PH 115/230V



708447

COMBINATION BELT/DISC SANDERS

- Large cast iron table has preset stops at 90° and 45° to let you use the belt sander vertically, horizontally, or anywhere in between
- Dual thumbscrew belt tracking adjustment locks to keep belt on track during use
- Graphite-covered platen runs cooler increasing machine and belt life

STOCK NO.	DESCRIPTION
708595	JSG-96, Benchtop 6" x 48" Belt / 9" Disc Sander, 3/4HP 1Ph, 115V
708596K	JSG-96OS, 6" x 48" Belt / 9" Disc Sander with Open Stand, 3/4HP 1Ph, 115V
708597K	JSG-96CS, 6" x 48" Belt / 9" Disc Sander with Closed Stand, 3/4HP 1Ph, 115V
708599	JSG-6DC, 6" x 48" Belt / 12" Disc Sander, 1-1/2HP, 1Ph 115/230V
708599K	JSG-6DCK, 6" x 48" Belt / 12" Disc Sander with Open Stand, 1.5HP 1PH 115/230V
708598K	JSG-6CS, 6" x 48" Belt / 12" Disc Sander with Closed Stand, 1.5HP 1PH 115/230V

ACCESSORIES

STOCK NO.	DESCRIPTION
708596	Open Stand for JSG-96 Sander
708597	Closed Stand for JSG-96 Sander
708566	Open Stand for JSG-6 Sander
708598	Closed Stand with Casters for JSG-6 Sander



708597K

SANDING SLEEVES

STOCK NO.	DESCRIPTION
575891	Sanding Sleeves, 1/4" x 6", 60 Grit (4 pack)
575893	Sanding Sleeves, 1/4" x 6", 100 Grit (4 pack)
575894	Sanding Sleeves, 1/4" x 6", 150 Grit (4 pack)
575896	Sanding Sleeves, 3/8" x 6", 60 Grit (4 pack)
575898	Sanding Sleeves, 3/8" x 6", 100 Grit (4 pack)
575899	Sanding Sleeves, 3/8" x 6", 150 Grit (4 pack)
575901	Sanding Sleeves, 1/2" x 6", 60 Grit (4 pack)
575903	Sanding Sleeves, 1/2" x 6", 100 Grit (4 pack)
575904	Sanding Sleeves, 1/2" x 6", 150 Grit (4 pack)
575906	Sanding Sleeves, 5/8" x 6", 60 Grit (4 pack)
575908	Sanding Sleeves, 5/8" x 6", 100 Grit (4 pack)
575909	Sanding Sleeves, 5/8" x 6", 150 Grit (4 pack)
575911	Sanding Sleeves, 3/4" x 9", 60 Grit (4 pack)
575913	Sanding Sleeves, 3/4" x 9", 100 Grit (4 pack)
575914	Sanding Sleeves, 3/4" x 9", 150 Grit (4 pack)
575916	Sanding Sleeves, 1" x 9", 60 Grit (4 pack)
575918	Sanding Sleeves, 1" x 9", 100 Grit (4 pack)
575919	Sanding Sleeves, 1" x 9", 150 Grit (4 pack)
575921	Sanding Sleeves, 1-1/2" x 5-1/2", 60 Grit (4 pack)
575923	Sanding Sleeves, 1-1/2" x 5-1/2", 100 Grit (4 pack)
575924	Sanding Sleeves, 1-1/2" x 5-1/2", 150 Grit (4 pack)
575926	Sanding Sleeves, 1-1/2" x 9", 60 Grit (4 pack)
575928	Sanding Sleeves, 1-1/2" x 9", 100 Grit (4 pack)
575929	Sanding Sleeves, 1-1/2" x 9", 150 Grit (4 pack)
575931	Sanding Sleeves, 2" x 5-1/2", 60 Grit (4 pack)
575933	Sanding Sleeves, 2" x 5-1/2", 100 Grit (4 pack)
575934	Sanding Sleeves, 2" x 5-1/2", 150 Grit (4 pack)
575936	Sanding Sleeves, 2" x 9", 60 Grit (4 pack)
575938	Sanding Sleeves, 2" x 9", 100 Grit (4 pack)
575939	Sanding Sleeves, 2" x 9", 150 Grit (4 pack)
575941	Sanding Sleeves, 3" x 5-1/2", 60 Grit (4 pack)
575943	Sanding Sleeves, 3" x 5-1/2", 100 Grit (4 pack)
575944	Sanding Sleeves, 3" x 5-1/2", 150 Grit (4 pack)
575946	Sanding Sleeves, 3" x 9", 60 Grit (4 pack)
575948	Sanding Sleeves, 3" x 9", 100 Grit (4 pack)
575949	Sanding Sleeves, 3" x 9", 150 Grit (4 pack)
575951	Sanding Sleeves, 4" x 9", 60 Grit (3 pack)
575953	Sanding Sleeves, 4" x 9", 100 Grit (3 pack)
575954	Sanding Sleeves, 4" x 9", 150 Grit (3 pack)

READY-TO-CUT ABRASIVE STRIPS

STOCK NO.	DESCRIPTION
60-9036	Ready-To-Cut Abrasive, 36 Grit
60-9060	Ready-To-Cut Abrasive, 60 Grit
60-9080	Ready-To-Cut Abrasive, 80 Grit
60-9100	Ready-To-Cut Abrasive, 100 Grit
60-9120	Ready-To-Cut Abrasive, 120 Grit
60-9150	Ready-To-Cut Abrasive, 150 Grit
60-9180	Ready-To-Cut Abrasive, 180 Grit
60-9220	Ready-To-Cut Abrasive, 220 Grit

READY-TO-WRAP ABRASIVES

STOCK NO.	DESCRIPTION
60-1060	Ready-To-Wrap Abrasives, 60 Grit, 4-Wraps in Box
60-1080	Ready-To-Wrap Abrasives, 80 Grit, 4-Wraps in Box
60-1100	Ready-To-Wrap Abrasives, 100 Grit, 4-Wraps in Box
60-1120	Ready-To-Wrap Abrasives, 120 Grit, 4-Wraps in Box
60-1150	Ready-To-Wrap Abrasives, 150 Grit, 4-Wraps in Box
60-1180	Ready-To-Wrap Abrasives, 180 Grit, 4-Wraps in Box
60-1220	Ready-To-Wrap Abrasives, 220 Grit, 4-Wraps in Box

1632 DRUM SANDER

STOCK NO.	DESCRIPTION
60-6036	Ready-To-Wrap Abrasives, 36 Grit, 4 Wraps in Box
60-6060	Ready-To-Wrap Abrasives, 60 Grit, 4 Wraps in Box
60-6080	Ready-To-Wrap Abrasives, 80 Grit, 4 Wraps in Box
60-6100	Ready-To-Wrap Abrasives, 100 Grit, 4 Wraps in Box
60-6120	Ready-To-Wrap Abrasives, 120 Grit, 4 Wraps in Box
60-6150	Ready-To-Wrap Abrasives, 150 Grit, 4 Wraps in Box
60-6180	Ready-To-Wrap Abrasives, 180 Grit, 4 Wraps in Box
60-6220	Ready-To-Wrap Abrasives, 220 Grit, 4 Wraps in Box

1836 DRUM SANDER

STOCK NO.	DESCRIPTION
60-18036	Ready-To-Wrap Abrasive, 18", 36 Grit, 4 Wraps in Box
60-18060	Ready-To-Wrap Abrasive, 18", 60 Grit, 4 Wraps in Box
60-18080	Ready-To-Wrap Abrasive, 18", 80 Grit, 4 Wraps in Box
60-18100	Ready-To-Wrap Abrasive, 18", 100 Grit, 4 Wraps in Box
60-18120	Ready-To-Wrap Abrasive, 18", 120 Grit, 4 Wraps in Box
60-18150	Ready-To-Wrap Abrasive, 18", 150 Grit, 4 Wraps in Box
60-18180	Ready-To-Wrap Abrasive, 18", 180 Grit, 4 Wraps in Box
60-18220	Ready-To-Wrap Abrasive, 18", 220 Grit, 4 Wraps in Box

2244 AND 2244 OSCILLATING DRUM SANDERS

STOCK NO.	DESCRIPTION
60-2036	Ready-To-Wrap Abrasive, 36 Grit, 3 Wraps in Box
60-2060	Ready-To-Wrap Abrasive, 60 Grit, 3 Wraps in Box
60-2080	Ready-To-Wrap Abrasive, 80 Grit, 3 Wraps in Box
60-2100	Ready-To-Wrap Abrasive, 100 Grit, 3 Wraps in Box
60-2120	Ready-To-Wrap Abrasive, 120 Grit, 3 Wraps in Box
60-2150	Ready-To-Wrap Abrasive, 150 Grit, 3 Wraps in Box
60-2180	Ready-To-Wrap Abrasive, 180 Grit, 3 Wraps in Box
60-2220	Ready-To-Wrap Abrasive, 220 Grit, 3 Wraps in Box

2550 DRUM SANDER

STOCK NO.	DESCRIPTION
60-25036	Ready-To-Wrap Abrasive, 25", 36 Grit, 3 Wraps in Box
60-25060	Ready-To-Wrap Abrasive, 25", 60 Grit, 3 Wraps in Box
60-25080	Ready-To-Wrap Abrasive, 25", 80 Grit, 3 Wraps in Box
60-25100	Ready-To-Wrap Abrasive, 25", 100 Grit, 3 Wraps in Box
60-25120	Ready-To-Wrap Abrasive, 25", 120 Grit, 3 Wraps in Box
60-25150	Ready-To-Wrap Abrasive, 25", 150 Grit, 3 Wraps in Box
60-25180	Ready-To-Wrap Abrasive, 25", 180 Grit, 3 Wraps in Box
60-25220	Ready-To-Wrap Abrasive, 25", 220 Grit, 3 Wraps in Box

DUST COLLECTION

CYCLONE DUST COLLECTORS

- The Cyclone's two-stage separation provides more working CFM than comparable horsepower single-stage units
- Heavy debris is pulled down to collection drum before debris stream reaches the filter, providing constant suction
- Direct-mounted filter allows unrestricted airflow, increasing system efficiency
- Fine dust particles are filtered through pleated material that captures even the smallest particles down to 1 micron and below
- Heavy debris is captured in steel drum with quick release levers and independent casters for quick emptying
- Radio frequency remote control turns on dust collection from up to 50 feet away
- Remote timer settings allows system to run for 2, 4, 6, or 8 hours before automatic shutoff (2HP and 3HP models only)
- Double-paddle manual cleaning system quickly cleans the pleated filter
- Swivel casters make it easy to move the unit around the shop

STOCK NO.	DESCRIPTION
717515	JCDC-1.5 Cyclone Dust Collector, 1.5HP 1PH 115V
717520	JCDC-2 Cyclone Dust Collector, 2HP 1PH 230V
717530K	JCDC-3 Cyclone Dust Collector Kit, 3HP 1PH 230V

ACCESSORIES

STOCK NO.	DESCRIPTION
717511	Canister Collection Bag for JCDC-1.5, JCDC-2, JCDC-3 (pack of 5)
717516	Drum Collection Bag for JCDC-1.5 (pack of 5)
717521	Drum Collection Bag for JCDC-2 (pack of 5)
717531	Drum Collection Bag for JCDC-3 (pack of 5)



717520



SEPARATION

Heavy debris is captured in steel drum with quick release levers and independent casters for quick emptying.



EASE OF USE

Double-paddle manual cleaning system quickly cleans the pleated filter

VORTEX CONE® DUST COLLECTORS

- Industrial-quality construction effectively handles collection of wood chips and sawdust
- Quick-install collection bag makes emptying and re-attaching a snap
- Single-stage design for economical and quiet operation
- Includes four casters for maneuverability and total portability
- High-air velocity (CFM) design stands up to any competitive specifications
- Permanently lubricated, totally enclosed, fan-cooled motors are rated for continuous-duty
- Optional canister filter offers superior dust collection by capturing particles as small as 2 microns
- Optional remote control is radio frequency, no need for line of sight to turn machine on and off



708659K



708657K

STOCK NO.	DESCRIPTION
708657K	DC-1100VX-BK Dust Collector, 1.5HP 1PH 115/230V, 30-Micron Bag Filter Kit
708658K	DC-1100VX-5M Dust Collector, 1.5HP 1PH 115/230V, 5-Micron Bag Filter Kit
708659K	DC-1100VX-CK Dust Collector, 1.5HP 1PH 115/230V, 2-Micron Canister Kit
710701K	DC-1200VX-BK1 Dust Collector, 2HP 1PH 230V, 30-Micron Bag Filter Kit
710702K	DC-1200VX-CK1 Dust Collector, 2HP 1PH 230V, 2-Micron Canister Kit
710703K	DC-1200VX-BK3 Dust Collector, 2HP 3PH 230/460V, 30-Micron Bag Filter Kit
710704K	DC-1200VX-CK3 Dust Collector, 2HP 3PH 230/460V, 2-Micron Canister Kit

ACCESSORIES

STOCK NO.	DESCRIPTION
708636C	RF Remote Control 115V, for Dust Collectors
708636D	RF Remote Control 220V, for Dust Collectors
708636F	30-Micron Bag Filter Kit for DC-1100,1100VX,1200,1200VX
708636MF	5-Micron Filter & Collection Bag Kit for DC-1100,1100VX,1200,1200VX
708639B	2-Micron Canister Filter Kit for DC-1100,1100VX,1200,1200VX

INSIDE LOOK AT THE VORTEX CONE™

PERFORMANCE


Only fine particles move to the filter chamber making manual cleaning easier and decreasing health concerns

PREVENTION

Prevents the central airflow from floating chips into the filter chamber decreasing rapid performance drop due to premature clogging

EFFICIENCY

Chips are better contained for increased packing density requiring fewer collection bag changes



DC-650 DUST COLLECTORS

- Hook up one to three machines for optimum dust cleaning
- Quick-install collection bag makes emptying and re-attaching a snap
- Single-stage design for economical and quiet operation
- Includes four casters for easy maneuverability and total portability

STOCK NO.	DESCRIPTION
708642BK	DC-650 Dust Collector, 1HP 1PH 115/230V, 30-Micron Bag Filter Kit
708642MK	DC-650 Dust Collector, 1HP 1PH 115/230V, 5-Micron Bag Filter Kit
708642CK	DC-650 Dust Collector, 1HP 1PH 115/230V, 2-Micron Canister Kit

ACCESSORIES

STOCK NO.	DESCRIPTION
708642B	30-Micron Filter & Collection Bag Kit, DC-650
708642MF	5-Micron Filter & Collection Bag Kit DC-650
708737C	1-Micron Canister Filter Kit for DC-650



708642CK

NEW

CYCLONIC SEPARATORS

- The red bullet separator directs chips and large debris into a container, making disposal easier and cleaner. This allows filters to trap more fine particles.
- Maintain the air flow of a dust collection system by separating chips and large debris from entering your dust collector.
- The JET Cyclonic Separator can be placed on the lid of almost any size container.

STOCK NO.	DESCRIPTION
717600	Cyclonic Separator (Separator Only)
717650	Cyclonic Separator and Bin



717650




717600



SEPARATION

The red bullet separator directs chips and large debris into a container, making disposal easier and cleaner. This allows filters to trap more fine particles.



EFFICIENCY

Maintain the air flow of a dust collection system by separating chips and large debris from entering your dust collector.



ADAPTABILITY

The JET Cyclonic Separator can be placed on the lid of almost any size container.

AFS-1000C AIR FILTRATION SYSTEM

- Improved design and added technology make the AFS-1000C a must have for any shop.
- The AFS-1000C uses dust detection technology and can adjust fan speed accordingly. The filter life is also monitored and displayed on the tilted LED display panel.
- ABS injection molded body makes the unit lighter, easier to install and less prone to damage.
- Bright LED display shows filter life, speed, and timer settings.
- A Radio Frequency remote makes changing speed and setting the timer, up

STOCK NO.	DESCRIPTION
713000	AFS-1000C, 1000 CFM Air Filtration System

ACCESSORIES

STOCK NO.	DESCRIPTION
708731	Electrostatic Outer Filter for AFS-1000C
708732	Electrostatic Outer Filter, Washable, for AFS-1000C
708733	Inner Filter for AFS-1000C
708734	Charcoal Filter for AFS-1000C

**FOR DUST COLLECTION CONSUMABLES AND ACCESSORIES
VISIT JETTOOLS.COM FOR A DEALER NEAR YOU**



713000



DISPOSABLE ELECTROSTATIC OUTER FILTER

Attracts more particles than standard filters; inner pocket filter is removable for easy cleaning.

AFS-2000 AIR FILTRATION SYSTEM

- Adjustable Exhaust directs the air where you want it for optimal circulation
- Disposable Electrostatic Outer Filter attracts more dust particles than standard filters
- Electrostatic Outer Filter
- Four eye bolts let you hang unit from shop ceiling; all hardware included
- Fully enclosed ball bearing motor with overload protection for long, dependable service
- Inner Pocket Filter is removable for easy cleaning

STOCK NO.	DESCRIPTION
708615	AFS-2000, 1700 CFM Air Filtration System, 3-Speed, with Remote Control

ACCESSORIES

STOCK NO.	DESCRIPTION
708722	Electrostatic Outer Filter for AFS-2000
708723	Inner Filter for AFS-2000
708724	Electrostatic Outer Filter, Washable, for AFS-2000

**FOR DUST COLLECTION CONSUMABLES AND ACCESSORIES
VISIT JETTOOLS.COM FOR A DEALER NEAR YOU**



708615

DUST COLLECTOR REPLACEMENT FILTERS AND COLLECTION BAGS

STOCK NO.	DESCRIPTION
709565	Collection Bag, Clear Plastic 14" Diameter (pack of 5)
709563	Collection Bag, Clear Plastic 20" Diameter (pack of 5)
708695	Filter Bag, 30-Micron, for DC-650
708701	Filter Bag, 5-Micron, for DC-650
708697	Collection Bag for DC-650
708697A	Snap In Collection Bag for DC-650
709562	Filter Bag, 30-Micron, for DC-1100, DC-1100VX
709564	Collection Bag for DC-1100, DC-1100VX
708698	Filter Bag, 30-Micron, for DC-1200, DC-1200VX
708699A	Collection Bag for DC-1200, DC-1200VX, 1900,5000,5600
708706	Filter Bag, 5-Micron, for DC-1100, DC-1100VX, DC-1200, DC-1200VX
708699	Collection Bag for DC-1200,1900,5000,5600



709563

DUST COLLECTION ACCESSORIES

STOCK NO.	DESCRIPTION
JW1000	4" TO 2-1/4"OD - 2"ID Reducer
JW1007	4" Blastgate
JW1013	4" T Fitting
JW1015	4" Y Fitting
JW1017	4" Elbow Fitting
JW1019	4" Splice Fitting
JW1022	4" Hose Clamp
JW1031	4" x 10' Hose
JW1032	4" x 20' Hose
JW1034	4" x 10' Clear Hose
JW1043	4" Connector Sleeve
JW1047	4" Quick Disconnect - Spiral End
JW1142	4" Aluminum Blastgate
JW1317	4" Wire Clamp




JW1007



JW1317

CAUTION: ALL PLASTIC FITTINGS AND HOSES MUST BE GROUNDED AGAINST STATIC ELECTRICAL BUILD-UP



JW1034

SAWING

15", 18", 20" STEEL FRAME BANDSAWS

- Large resaw capacity for cutting large pieces of wood, slicing veneers, and cutting book-matched panels
- Precision-ground cast iron table for added stability and work support
- Fence system features a micro-adjustable, dual-position side plate
- Tool-less, independently adjustable, upper and lower ball bearing guides
- Rigid, four-sided guide post with rack and pinion adjustment for optimum blade support
- Easy-to-read blade tension scale can be viewed through upper door window
- Single knob adjustment simplifies the blade tracking process
- Blade tracking window provides clear view of blade during tracking
- Heavy-duty tensioning with quick release features three settings: full tension, partial tension, and full release
- Cast iron trunnion for maximum support and stability
- Slotted table allows for front blade removal
- Cast iron handwheels and ergonomically designed knobs make adjustments smooth and easy



FOR BANDSAW BLADES:
VISIT JETTOOLS.COM OR TO
LOCATE A DEALER NEAR YOU

STOCK NO.	DESCRIPTION
714600	JWBS-15, 15" Bandsaw, 1-3/4HP, 115/230V
714650	JWBS-15-3, 15" Bandsaw, 3HP, 230V
714700	JWBS-18, 18" Bandsaw, 1-3/4HP, 115/230V
714750	JWBS-18-3, 18" Bandsaw, 3HP, 230V
714800	JWBS-20-3, 20" Bandsaw, 3HP, 230V
714850	JWBS-20-5, 20" Bandsaw, 5HP, 230V



WORLD CLASS VENEERING

Controlled by the micro knob, the Micro Adjustable Fence System accurately measures custom widths within .05-inch for precision resawing



*20" MODELS ONLY

714600

14" SFX BANDSAW

- Deeper table with a massive 360 sq. in. cast iron work surface for greater work piece support
- Over 13" resaw capacity for cutting large pieces of wood, slicing veneers, and cutting book-matched panels
- Heavy-duty tubular steel welded construction
- Dual 4" dust ports for maximum dust collection efficiency
- Tool-less, independently adjustable, upper and lower ball bearing blade guides
- Convenient 115V AC outlet location for optional accessories
- Engineered die-cast and steel trunnion system, allows for single point adjustments when moving table
- Larger machined aluminum fence surface with easily visible measurements for the most accurate cutting
- Robust stamped steel doors with welded steel pin hinges for greater product durability
- Blade tensioning wheel located on top of the saw for better work piece clearance when cutting
- Oversized lower bearing bolt pattern for maximum strength and rigidity

FOR BANDSAW BLADES:
VISIT JETTOOLS.COM OR TO
LOCATE A DEALER NEAR YOU

STOCK NO.	DESCRIPTION
714400K	JWBS14-SFX 14 Bandsaw 1.75HP,1PH,115/230

ACCESSORIES

STOCK NO.	DESCRIPTION
714403	JWBS-14LIT Bandsaw Light Kit



LARGE WORKTABLE
360 sq. in. cast iron worktable delivers maximum work piece stability, so you can tackle more ambitious projects.



HEAVY-DUTY DESIGN
Large cast wheels provide a smooth and controlled cut.



714400K



14" BANDSAWS

- Built-in 12" resaw capacity for cutting larger pieces of wood
- 2-speed poly-v belt drive system
- Upper and lower cast iron frame for increased strength and rigidity
- Easy-to-view blade tracking window
- Blade guide post with rack and pinion adjustment
- Upper and lower ball bearing guides reduce friction for longer blade life
- Quick-release blade tension for convenience
- Enclosed stand with storage shelf and easy-access door
- Built-in retractable blade guard moves vertically from 0-12" resaw

STOCK NO.	DESCRIPTION
708115K	JWBS-14CS, 14" Bandsaw, 1HP 1PH 115/230V, Closed Stand

ACCESSORIES

STOCK NO.	DESCRIPTION
708717	Riser Block 6" for 708115K
714102	Woodworking Bandsaw Fence, Fits 14" x 14" Tables
714101	Woodworking Bandsaw Fence, Fits 15" x 15" Tables



708115K



10" OPEN STAND BANDSAW

- Compact benchtop design allows for easy transport to different shop locations
- Rigid steel stand allows bandsaw to transition from the benchtop to the floor
- Reinforced steel base can be bolted to stand or work bench
- 1/2 HP induction motor easily handles various cutting applications
- Poly-V drive system maximizes power transfer from motor to blade and reduces vibration
- Upper and lower ball bearing blade guides provide blade stability
- Extra large cast iron table with retractable extension wing provides additional work piece support
- One piece welded frame design reduces machine vibration and flex
- Oversized, ergonomic knobs provide ease of use and maximum control
- Quick release blade tension makes changing and re-tensioning the blade fast, easy and consistent
- Flexible LED light provides visibility without blocking line of sight

STOCK NO.	DESCRIPTION
714000	JWB-10, 10" Open Stand Bandsaw



714000



BANDSAW BLADES

STOCK NO.	DESCRIPTION
707201	Bandsaw Blade, Scroll, 67-1/2 x 1/8 x 0.025 x 18TR
707202	Bandsaw Blade, Resaw, 67-1/2 x 1/2 x 0.032 x 4HK
707203	Bandsaw Blade, General Purpose, 67-1/2 x 1/2 x .025 x 6HK
707204	Bandsaw Blade, General Purpose, 67-1/2 x 1/4 x .025 x 6SK

STOCK NO.	DESCRIPTION
WBSB-116144	116 x 1/4 x 4 TPI Bandsaw Blade
WBSB-116124	116 x 1/2 x 4 TPI Bandsaw Blade
WBSB-116583G	116 x 5/8 x 3 TPI GW Bandsaw Blade

10" PROSHOP II TABLE SAWS WITH RIVING KNIFE

- Newly designed arbor lock to change blades quickly and easily
- Quick release riving knife for hassle-free riving knife changes
- Improved dust shroud around blade for greater dust collection
- Convenient, magnetic paddle switch for the safest operation possible
- Innovative single-belt design for easier belt tensioning and reduced vibration
- Motor reset switch conveniently relocated to the power switch, instead of the motor



725004K

STOCK NO.	DESCRIPTION
725004K	JPS-10 10" Proshop II 1.75HP 1PH 115V. 30" Fence System, Steel Wing w/ Riving Knife
725005K	JPS-10 10" Proshop II 1.75HP 1PH 115V. 52" Fence System, Steel Wing w/ Riving Knife
725000K	JPS-10 10" ProShop II 1.75 HP 1 PH 115V 30" Fence System, Cast Wing w/ Riving Knife
725001K	JPS-10, 10" ProShop II 1.75HP 1PH 115V, 52" Fence System, Cast Wing w/ Riving Knife

ACCESSORIES

STOCK NO.	DESCRIPTION
725004	ProShop II Dado Insert
725005	ProShop II Fence assembly
708483	Rail Set 30" for ProShop



10" AND 12" DELUXE XACTA® TABLE SAWS

- 30" or 50" Commercial XACTA® Fence II with T-square design
- Quick-release riving knife greatly reduces binding/kickback risk
- Push-button arbor lock for rapid blade change
- Shrouded blade increases dust collection efficiency
- Standard 11" left and right cast iron extension wings provides the largest table surface in its class
- Poly-V drive belt system delivers quiet, efficient operation



708674PK

STOCK NO.	DESCRIPTION
708674PK	XACTA® 10" Saw Deluxe 3HP 1Ph 230V, 30" Fence System
708675PK	XACTA® 10" Saw Deluxe 3HP 1Ph 230V, 50" Fence System
708676PK	XACTA® 10" Saw Deluxe 5HP 1Ph 230V, 30" Fence System
708677PK	XACTA® 10" Saw Deluxe 5HP 1Ph 230V, 50" Fence System
708546PK	XACTA® 12" Saw Deluxe 5HP 1PH, JTAS-12-DX

ACCESSORIES

STOCK NO.	DESCRIPTION
708097	Dado Insert for 10" Deluxe XACTA® Saw
708683	Riving Knife, Low Profile, for Deluxe XACTA® Saw
708684	Riving Knife, Low Profile Thin Kerf, for Deluxe XACTA® Saw
708124	XACTA® - Lift with Deluxe Fence




10" AND 12" SLIDING DUAL BEVEL COMPOUND MITER SAWS

- Machined aluminum construction and high visibility red laser for precision cuts
- Most versatile saw for cutting miters, bevels, straights and compounds
- Ergonomic rubber grip handles and compact design for easy mobility



707212



STOCK NO.	DESCRIPTION
707210	JMS-10X 10" Sliding Dual Bevel Compound Miter Saw
707212	JMS-12X 12" Sliding Dual Bevel Compound Miter Saw

ACCESSORIES

STOCK NO.	DESCRIPTION
JW1000	4" to 2-1/4"OD - 2"ID Reducer

18" AND 22" SCROLL SAWS

- Upper blade holder clamps and tensions blade in one step (patent pending)
- Removable lower blade holder snaps quickly and securely into place
- Slotted table for easier and quicker blade changes
- Arm tilts 45° right and 40° left, keeping the work table flat for more accurate cutting
- Integrated blade storage features slots for pre-loaded blades and a built-in wrench for changing blades
- Blade storage can be positioned on the right or left of the machine

STOCK NO.	DESCRIPTION
727200B	JWSS-22B 22" Scroll Saw with Foot Switch
727300B	JWSS-18B Scroll Saw

ACCESSORIES

STOCK NO.	DESCRIPTION
727201	JWSS Lower Blade Holder (set of 3)
JWSS22B-253	Foot Switch Assembly

ROUTER TABLE

- All components sold individually for maximum customization
- Cast iron top
- Precision router lift with above-the-table adjustments for ease of use
- Versatile fence system with a variety of feather board and flip stop add-ons
- Heavy-duty stand with router bit storage and an integrated mobile base



737000CK

STOCK NO.	DESCRIPTION
737000CK	Router Lift with Cast Table Kit

ACCESSORIES

STOCK NO.	DESCRIPTION
737000	Router Lift With Brake
737001	32" x 24" Fence Assembly
737002	32" x 24" Cast Iron Table
737004	Floor Stand (with Switch and Miter Gauge)
737005	Dust Collection Box
737008	Flip Stop
737009	Fine Fence Adjusters (set of 2)
737010	Vertical Featherboards (2)
737011	Horizontal Featherboards (2)



727200B

SHAPERS

- Multiple-speeds let you select the best speed and torque for different cutter diameters
- Large, precision-ground cast iron table provides a durable work surface
- Extruded aluminum fence comes with T-slots and 2 feather board hold-downs
- Reversible spindle speeds for diverse shaping jobs
- Starting pins for irregular shaping
- Extra-large chrome handwheel is conveniently located for fast, easy, and accurate spindle height adjustments
- 4" dust port built into fence for convenient hookup to any dust collection system
- Spindle lock for safe and easy cutter set up
- Spindle height scale



708309

STOCK NO.	DESCRIPTION
708309	JWS-25X, Shaper, 3HP 1PH 230V, 1/2" & 3/4" Spindles
708323	JWS-35X3-1, Shaper, 3HP 1PH 230V
708326	JWS-35X5-1, Shaper, 5HP 1PH 230V

ACCESSORIES

STOCK NO.	DESCRIPTION
708382	30mm Spindle for JWS-25X Shaper
708388	1/2" Spindle Assembly for JWS-25X Shaper
708387	3/4" Spindle Assembly for JWS-25X Shaper
708318	1" Spindle for JWS-25X Shaper
708383	1/4" Collet Set for JWS-25X Shaper
708384	1/2" Collet Set for JWS-25X Shaper
708372	30mm Spindle for JWS-35X Shaper
708381	1/2" Spindle for JWS-35X Shaper
708317	3/4" Spindle for JWS-35X Shaper
708314	1" Spindle for JWS-35X Shaper
708328	1-1/4" Spindle for JWS-35X Shaper
709526	3/4" Spindle for JWS-25CS Shaper

PLANERS

20" PLANERS

- Four high-speed steel cutter knives produce faster, smoother cutting
- Heavy-duty cast iron and steel construction for added strength and durability
- Two-speed gear box with automatic chain tensioner lets you adjust the feed rate to meet your needs
- Large cast iron, precision-ground table for precise workpiece support



708528

STOCK NO.	DESCRIPTION
708528	JWP-208-1, 20" 3HP, 1PH Planer
708544	JWP-208HH, 20" Planer 5HP 1PH, Helical Head 3HP, 1Ph, 230V

ACCESSORIES

STOCK NO.	DESCRIPTION
708808	JWP208-K, Knife Set for JWP-208 Planers
1791212	Carbide Inserts for Helical Cutterhead (Set of 10)

15" PLANERS

- Innovative Precision Air Strut System (PASS™) provides consistent upward pressure on the cutterhead, reducing the chance of board snipe
- Helical cutterhead houses 48 staggered carbide knives that are engineered to align themselves without any adjustment for a superior finish and quieter cut (Stock No.722155)
- Straight cutterhead has three high-speed steel knives that lock firmly in place to prevent movement while in use (Stock No. 722150)



722150

722155

STOCK NO.	DESCRIPTION
722150	JWP-15B 15" CS Planer w/Straight Knives 3HP, 1PH, 230V
722155	JWP-15BHH, 15" CS Planer w/Helical Head 3HP, 1PH, 230V

ACCESSORIES

STOCK NO.	DESCRIPTION
722151	JWP-15B/JWP-15BHH Planer Side Roller Table
1791212	Carbide Inserts for Helical Cutterhead (Set of 10)
708520	JWP-DRO Digital Readout for 15" & 20" Planers
708807	Knife Insert for JWP-15B (Set of 3)



13" BENCHTOP PLANER

- Helical-style cutterhead with 6 rows of 26 individual quick-change high-speed steel inserts for a smoother and quieter cut
- Precision-machined cast iron bed and steel cover assist in keeping boards flat and reduces snipe
- Four-post design for maximum control and support of cutterhead
- Powerful 2HP 15-amp motor turns the cutterhead at 10,000 RPM



722130

STOCK NO.	DESCRIPTION
722130	JWP-13BT 13" Planer w/Helical-Style Head

ACCESSORIES

STOCK NO.	DESCRIPTION
722131	Knife Insert for JWP-13BT (Set of 10)
722132	Carbide Knife Insert for JWP-13BT (Set of 10)

8" JOINTERS

- Available with high-speed steel knives or helical cutterhead for a superior finish
- Extra-long, heavy-duty cast iron infeed and outfeed tables with precision-machined finish
- Large chrome handwheels and easy-to-reach locks make table adjustments less of a hassle
- Tall, rigid fence provides added support

STOCK NO.	DESCRIPTION
718200K	JWJ-8CS 8" Jointer, 2HP 1PH 230V
718250K	JWJ-8HH 8" Jointer, 2HP 1PH 230V, Helical Head

ACCESSORIES

STOCK NO.	DESCRIPTION
708802	Knives for 8" Jointer (set of 3)
1791212	Carbide Inserts for Helical Cutterhead (Set of 10)
708815	JPB-36 Jointer Push Block



6" JOINTERS

- Powerful 1HP motor handles the toughest tasks
- Two-way tilting fence with positive stops at 45° and 90° to handle bevel operations
- Exclusive front-mounting table adjustment handwheels make quick, easy, and accurate corrections

STOCK NO.	DESCRIPTION
708457DXK	JJ-6CSDX, 6" Deluxe Jointer, 1HP 1PH 115/230V, Quick-Set Knives
708466DXK	JJ-6HDX, 6" Deluxe Jointer, 1HP 1PH 115/230V, Helical Head

ACCESSORIES

STOCK NO.	DESCRIPTION
708801	Knives for 6" Jointer (set of 3)
1791212	Carbide Inserts for Helical Cutterhead (Set of 10)



6" BENCHTOP JOINTER

- True helical cut with 14 indexable four-sided carbide blades
- Heavy-duty cast iron tables and fence
- Fully-adjustable fence with locking stops at +/- 45 tilt dual direction for beveling
- Internal blower motor moves dust and chips away from motor and cutter head
- Powerful 1HP 15 amp motor turns the cutterhead at 10,000 RPM
- Highly visible scale for accurate depth of cut adjustments

STOCK NO.	DESCRIPTION
718600	JJ-6HHBT 6" Benchtop Jointer

ACCESSORIES

STOCK NO.	DESCRIPTION
718601	JJ-6HHBT 4 Side Carbide HH Blades (10 Piece)



PLANERS/JOINTERS/MOLDERS

8" AND 10" BENCHTOP PLANER/JOINTER

- Combination benchtop jointer and planer provides a 2-in-1 machine to maximize workspace
- Compact benchtop design fits conveniently in small shop environments
- 13-amp motor for various cutting applications
- Two high-speed steel knives for precise, smooth cuts

STOCK NO.	DESCRIPTION
707400	JJP-8BT, 8" Jointer/Planer Combo
707410	JJP-10BTOS, 10" Jointer/Planer Combo w/ Stand

ACCESSORIES

STOCK NO.	DESCRIPTION
707401	Knives for JJP-8BT, 8" Jointer/Planer (set of 2)
707411	Knives for JJP-10BTOS, 10" Jointer/Planer (set of 2)
707402	Stand for JJP-8BT, 8" Jointer/Planer Combo



707400

12" PLANER/JOINTER

- Leave it to JET to design a machine so quick to change over between jointing and planing functions. Introducing JET's all new JPJ-12B 12-inch planer/jointer combo machine.
- A heavy-duty, fully welded steel base cabinet houses the motor and the planer table mechanism, while providing solid mounting for the associated controls and support for the jointer table and fence assemblies.

STOCK NO.	DESCRIPTION
715100	JPJ-12B, 12" Planer/Jointer 3HP SK
715155	JPJ-12BHH, 12" Planer/Jointer 3HP HH

ACCESSORIES

STOCK NO.	DESCRIPTION
708821	Replacement Knives (3) for JPJ-12B
1791212	Carbide Inserts for Helical Cutterhead (Set of 10)



715155

13" PLANER/MOLDER

- Cast iron table and base provide strength and reduce vibration during use
- Four precision-ground column design adds stability when raising and lowering the table
- Three-knife cutterhead design produces a superior finish in either application
- Two-speed gear box has feed rates set for optimum planing and molding results

STOCK NO.	DESCRIPTION
708524	JPM-13CS, 13" Closed Stand Planer/Molder, 1-1/2HP, 1PH, 115/230V

ACCESSORIES

STOCK NO.	DESCRIPTION
708366	JPM-13-K 13" Knife Set for JPM-13 Planer/Molders



708524

BANDSAW BLADES

STOCK NO.	DESCRIPTION
7259465	1024 Rip Circular Saw Blade
7259466	1040 General Circular Saw Blade
7259467	1040 Miter Miter Saw Blade
7259468	1080 Crosscut Circular Saw Blade
7259469	1230 Rip Circular Saw Blade
7259470	1248 Miter Miter Saw Blade
7259471	1280 General Circular Saw Blade
7259472	1040 Thin Kerf Circular Saw Blade
7145269	BS Blade 1/4x 93.5 6 TPI 708115K
7145270	BS Blade 1/2 x 93.5 4 TPI 708115K
7145271	BS Blade 5/8 x93.5 3 TPI GW 708115K

STOCK NO.	DESCRIPTION
7145272	BS Blade 1/4 x 105 6 TPI 710116K
7145273	BS Blade 3/8 x 105 6 TPI 710116K
7145274	BS Blade 1/2 x 105 4 TPI 710116K
7145275	BS Blade 5/8 x105 3 TPI GW 710116K
7145276	BS Blade 1/4 x 133 6 TPI 714600/714650
7145277	BS Blade 1/2 x 133 4 TPI 714600/714650
7145278	BS Blade 5/8 x133 3 TPI GW 714600/714650
7145279	BS Blade 1/4 x 150 6 TPI 714700/714750
7145280	BS Blade 1/2 x 150 4 TPI 714700/714750
7145281	BS Blade 5/8 x150 3 TPI GW 714700/714750
7145282	BS Blade 3/4 x150 6 TPI GW 714700/714750

STOCK NO.	DESCRIPTION
7145283	BS Blade 1/4 x 158 6 TPI 714800/714850
7145284	BS Blade 1/2 x 158 4 TPI 714800/714850
7145285	BS Blade 5/8 x158 3 TPI GW 714800/714850
7145286	BS Blade 1.0 x158 2 TPI GW 714800/714850
7145287	BS Blade 1/8 x 67-1/2" 14 TPI 714000
7145288	BS Blade 1/2 x 67-1/2 4 TPI 714000
7145289	BS Blade 3/8 x 67-1/2 6 TPI 714000
7145290	BS Blade 1/2 x 67-1/2 6 TPI 714000
7145291	BS Blade 1/4 x 67-1/2 6 TPI 714000

PARALLEL CLAMPS

- Patented design provides precision and power with exact 90° clamping at up to 1,000 lbs. pressure
- Precision-rule measurement system provides a consistent setup and quick identification of opening capacity
- Slide-glide trigger makes precise adjustments rapidly and easily

STOCK NO.	DESCRIPTION
70401	Parallel Framing Block Kit (Set of 4)
70411	Parallel Clamp Framing Kit
70412	12" Parallel Clamp
70424	24" Parallel Clamp
70431	31" Parallel Clamp
70440	40" Parallel Clamp
70450	50" Parallel Clamp
70460	60" Parallel Clamp
70482	82" Parallel Clamp
70498	98" Parallel Clamp
70402	Parallel Clamp Bench Dog (4 Pack)
70407	Parallel Clamp Moveable Foot (Set Of 4)



70411

ROLLER STAND

- 12-1/2in Wide smooth action roller easily handles unwieldy stock
- Four-point stand with non-marring foot caps for greater stability under load
- Knurled telescoping post offers good contact for locking knob
- Locking knob adjustment sets height from 25-1/2" to 42" for workpiece support
- Welded steel tube construction offers high strength with minimum weight

STOCK NO.	DESCRIPTION
709209	Adjustable Roller Stand 12.5 inch



ACCESSORIES

MOBILE BASES

FIND THE MOBILE BASE SETUP THAT IS RIGHT FOR YOUR PRODUCT



**JMB-UMB
UNIVERSAL
MOBILE BASE**
708118



**JMB-UMB-HD
HEAVY-DUTY UNIVERSAL
MOBILE BASE**
708119



**MOBILE BASE
EXTENSION KIT**
708158



**CASTER SET
BOX OF 4**
98-0130



**2" SWIVEL
LOCKING CASTERS**
98-0129

STOCK NO.	DESCRIPTION
708118	UNIVERSAL MOBILE BASE, JMB-UMB
707410	JJP-10BTOS, 10" Jointer / Planer Combo w/ Stand
708309	JWS-25X, JET Shaper, 3HP, 1PH
708320	JWS-22CS, 1-1/2HP Shaper, 1Ph 115/230V, 1/2" and 3/4" Spindle
708322	JWS-25CS, 3HP Shaper, 1Ph 230V Only, 1/2" and 3/4" Spindles, 25"x25" Table
708323	JWS-35X3-1 Shaper 3HP, 1PH
708326	JWS-35X5-1 Industrial Shaper 5HP, 1PH
708447	OES-80CS Oscillating 6" x 89" Belt Edge Sander
708475	JJP-12, 12" Planer/Jointer 3HP 1PH 230V
708476	JJP-12HH 12 ft. Planer /Jointer with Helical Head
708524	JPM-13CS, 13" Closed Stand Planer / Molder, 1-1/2HP, 1Ph, 115/230V
714600	JWBS-15, 15" Bandsaw 1.75HP
714650	JWBS-15-3, 15" Bandsaw, 3HP, 230V
722150	15" JET Straight Knife Planer, JWP-15B
722155	15" JET Helical Cutterhead Planer, JWP-15BHH
708113A	JWBS-14OS, Bandsaw with Open Stand
708115K	14" Closed Stand Bandsaw, 1HP, 1Ph, 115/230V
708457DXK	JJ-6CSDX, 6" Deluxe Jointer with QS Knives
708466DXK	JJ-6HHDX, 6" Long Bed Wood Jointer with Helical Head Kit
708674PK	Deluxe XACTA® SAW 3HP, 1Ph, 30" Rip
708675PK	Deluxe XACTA® SAW 3HP, 1Ph, 50" Rip
708676PK	Deluxe XACTA® SAW 5HP, 1Ph, 30" Rip
708677PK	Deluxe XACTA® Saw 5HP, 1Ph, 50" Rip
708678PK	Deluxe XACTA® Saw 3HP, 1Ph, 50" Rip with Downdraft Table and Leg Set
708679PK	Deluxe XACTA® Saw 5HP, 1Ph, 50" Rip, with Downdraft Table and Leg Set
714400K	JWBS-14SFX, 14" Bandsaw, 1-3/4HP, 115/230V
718200K	JWJ-8CS, 8" Closed Stand Jointer, 2HP, 1PH, 230V
718250K	JWJ-8HH, 8" Helical Head Jointer, 2HP, 1PH, 230V
725000K	The JPS-10 1.75 HP 115V 30" Proshop Tablesaw Cast wings

STOCK NO.	DESCRIPTION
708118	UNIVERSAL MOBILE BASE, JMB-UMB (CONT.)
725001K	The JPS-10 1.75 HP 115V 52" Proshop Tablesaw with Cast wings
725002K	The JPS-10 1.75 HP 230V 30" Proshop Tablesaw with Cast wings
725003K	The JPS-10 1.75 HP 230V 52" Proshop Tablesaw with Cast wings
725004K	The JPS-10 1.75 HP 115V 30" Proshop Tablesaw with Steel wings
725005K	The JPS-10 1.75 HP 115V 52" Proshop Tablesaw with Steel wings
725006K	The JPS-10 1.75 HP 230V 30" Proshop Tablesaw with Steel wings
725007K	The JPS-10 1.75 HP 230V 52" Proshop Tablesaw with Steel wings
708119	UNIVERSAL MOBILE BASE, JMB-UMB-HD
708528	JWP-208-1, 20" 3HP, 1PH Planer
708544	JWP-208HH, 20" Planer 5HP 1Ph, Helical Head
714700	JWBS-18, 18" Bandsaw, 1-3/4HP, 115/230V
714750	JWBS-18-3, 18" Bandsaw, 3HP, 230V
714800	JWBS-20-3, 20" Bandsaw, 3HP, 230V
714850	JWBS-20-5, 20" Bandsaw, 5HP, 230V
708674PK	Deluxe XACTA® SAW 3HP, 1Ph, 30" Rip
708675PK	Deluxe XACTA® SAW 3HP, 1Ph, 50" Rip
708676PK	Deluxe XACTA® SAW 5HP, 1Ph, 30" Rip
708677PK	Deluxe XACTA® Saw 5HP, 1Ph, 50" Rip
708678PK	Deluxe XACTA® Saw 3HP, 1Ph, 50" Rip with Downdraft Table and Leg Set
708158	MOBILE BASE EXTENSION KIT
708675PK	Deluxe XACTA® SAW 3HP, 1Ph, 50" Rip
708677PK	Deluxe XACTA® Saw 5HP, 1Ph, 50" Rip
708678PK	Deluxe XACTA® Saw 3HP, 1Ph, 50" Rip with Downdraft Table and Leg Set
708679PK	Deluxe XACTA® Saw 5HP, 1Ph, 50" Rip, with Downdraft Table and Leg Set
725001K	The JPS-10 1.75 HP 115V 52" Proshop Tablesaw with Cast wings
725003K	The JPS-10 1.75 HP 230V 52" Proshop Tablesaw with Cast wings
725005K	The JPS-10 1.75 HP 115V 52" Proshop Tablesaw with Steel wings
725007K	The JPS-10 1.75 HP 230V 52" Proshop Tablesaw with Steel wings
98-0130	DRIVING SWIVEL WHEELS WITH BRAKE - SET OF 4 PCS.



WHEN IT COMES TO SERVICE AND SUPPORT
THINK RED



RELIABILITY

U.S. CUSTOMER SERVICE
INDUSTRY-LEADING WARRANTIES



EXPERTISE

U.S. TECH SUPPORT
AUTHORIZED SERVICE CENTERS
THROUGHOUT THE U.S.



DEPENDABILITY

EXTENSIVE ONLINE RESOURCES
40,000+ UNIQUE PARTS IN STOCK

WARRANTY AND SERVICE

JET warrants every product they sell against manufacturers' defects. If one of our tools needs service or repair, please contact Technical Service by calling 1-800-274-6846, 7am CST-6pm CST, Monday through Friday

WARRANTY PERIOD

The general warranty lasts for the time period specified in the literature included with your product or at JETTOOLS.COM

FOR MORE INFORMATION ON OUR WARRANTY AND SERVICE
CALL US TOLL FREE 1-800-274-6848 OR VISIT JETTOOLS.COM/SUPPORT-US/WARRANTY



**JPW**
INDUSTRIES



STAND BEHIND YOUR WORK™

Offer available at participating dealers only while supplies last. JET reserves the right to correct any pricing, product specifications or image discrepancies.
For complete and current freight and payments terms, visit jettools.com/terms-conditions ©2023 JET all rights reserved. Printed in the U.S.A.
Stock No. 23-15495 Jan 2023

2023 WOODWORKING END USER FLYER